



SECTION B-B




TOP VIEW

STANDARD ADAPTER
SEE SHEET 4 FOR
DIMENSIONS




FRONT VIEW




SIDE VIEW


OPEN LOCK
SEE SHEET 2
FOR DETAIL



INSTALLATION
INSTRUCTIONS
SEE SHEET 3



KEYHOLES
SEE SHEET 2
FOR DETAIL



SECTION A-A

This drawing contains proprietary information owned or controlled by RP/Visual Solutions and must not be used or disclosed without prior written authorization

DIMENSIONS ARE IN INCHES
TOLERANCES ARE:

FRACTIONS	DECIMALS	ANGLES
X/X : ± 1/32	XX : ± .03 XXX : ± .010	X : ± .5 XX : ± .20

APPROVED FOR FABRICATION
SIGNATURE:

DATE:

NOTES:

1. FINISH: MATTE BLACK PC
2. TOTAL WEIGHT (APPROXIMATE): 109 LBS

REV:	DESCRIPTION:	BY:	DATE:
A			
B			
C			
D			
E			
F			
G			

PROJECT:

SKU:

RPWM-32MAXB-XM-HSB

PART NO:

DESCRIPTION:

HORZ SHIFT 32MAXB KIT

SIZE:

B

DATE:

3/18/2021

DRAWN:

HN

CHECKED:

XXX

DWG. ID:

RPWM-32MAXB-XM-HSB.1

JOB NO:

SCALE:

1:9


SHEET:

1 OF 4


REVISION:

A


Ø0.63IN
[15.9mm]
KEYHOLE
X2, UPPER X-ARM




DETAIL D
SCALE 3 : 4



SECTION C-C



DETAIL E
SCALE 3 : 4




USE THIS LOCATION
TO LOCK X-ARM
IN OPEN POSITION

DETAIL F
SCALE 1 : 2

Ø0.33IN
[8.4mm]

SIDE VIEW
OPEN POSITION



1275 S Lewis St, Anaheim, CA 92805
P: 714-991-6400 | C: 714-390-8572
www.rpvisuals.com

This drawing contains proprietary information owned or controlled by RP/Visual Solutions and must not be used or disclosed without prior written authorization

DIMENSIONS ARE IN INCHES		
TOLERANCES ARE:		
FRACTIONS	DECIMALS	ANGLES
X/X : ± 1/32	XX : ± .03 XXX : ± .010	X : ± .5 XX : ± .20

APPROVED FOR FABRICATION

SIGNATURE:

DATE:

NOTES:

G	.	.	.
F	.	.	.
E	.	.	.
C	.	.	.
B	.	.	.
A	.	.	.

REV: DESCRIPTION: BY: DATE:

DEALER:

PROJECT:

SKU: RPWM-32MAXB-XM-HSB

PART NO:

DESCRIPTION: HORZ SHIFT 32MAXB KIT

SIZE: B	DATE: 3/18/2021	DRAWN: HN	CHECKED: XXX
---------	-----------------	-----------	--------------

DWG. ID: RPWM-32MAXB-XM-HSB.2

JOB NO:	SCALE: 1:6 SHEET: 2 OF 4	REVISION: A
---------	-----------------------------	-------------



1275 S Lewis St, Anaheim, CA 92805
P: 714-991-6400 | C: 714-390-8572
www.rpvisuals.com

This drawing contains proprietary information owned or controlled by RP/Visual Solutions and must not be used or disclosed without prior written authorization

DIMENSIONS ARE IN INCHES		
TOLERANCES ARE:		
FRACTIONS	DECIMALS	ANGLES
X/X : ± 1/32	XX : ± .03 XXX : ± .010	X : ± .5 XX : ± .20

APPROVED FOR FABRICATION

SIGNATURE:

DATE:

NOTES:

1. FINISH: MATTE BLACK PC
2. TOTAL WEIGHT (APPROXIMATE): 109 LBS

G	.	.	.
F	.	.	.
E	.	.	.
C	.	.	.
B	.	.	.
A	.	.	.

REV: DESCRIPTION: BY: DATE:

DEALER:

PROJECT:

SKU: RPWM-32MAXB-XM-HSB

PART NO:

DESCRIPTION: HORZ SHIFT 32MAXB KIT

SIZE: B	DATE: 3/18/2021	DRAWN: HN	CHECKED: XXX
---------	-----------------	-----------	--------------

DWG. ID: RPWM-32MAXB-XM-HSB.3

JOB NO:	SCALE: 1:10 SHEET: 3 OF 4	REVISION: A
---------	------------------------------	-------------

BACK BOX 32MAXB KIT
SKU: RPWM-32MAXB-BOX
WEIGHT: 44 LBS

PERIPHERAL PLATE
SKU: RPWM-32MAXB-PM
WEIGHT: 8 LBS

BACK BOX 32MAXB WELDMENT
WEIGHT: 32 LBS

IMPORTANT
• LEVEL AND PLUMB WALLMATE BOX

IMPORTANT
• HARDWARE TO ATTACH TO WALL BY OTHERS
• TYPE AND QUANTITY BY STRUCTURAL ENGINEER

BEZEL TRIM 32MAXB KIT
SKU: RPWM-32MAXB-TRIM
WEIGHT: 4 LBS

USE #8 X 3/8"
SHEET METAL SCREWS
X16

X-ARM 32MAXB KIT
SKU: RPWM-32MAXB-XARM
WEIGHT: 32 LBS

5/16-18
FLANGED
LOCKNUT
X4

1/4-20 X 3/4"
FLANGED BUTTON
HEAD SCREW
X4

FRONT ISO VIEW
(EXPLODED)

INSTALLATION NOTES:

1. FOR MOUNTING IN METAL STUDS: WALLMATE 32MAXB REQUIRES 14 GAUGE METAL STUDS TO HOLD 300 LB CAPACITY
2. VERIFY FASTENING METHOD WITH STRUCTURAL ENGINEER PRIOR TO INSTALLATION
3. VERIFY WALL STRENGTH PRIOR TO INSTALLATION
4. USE ALL FASTENING POINTS ON BOTH SIDES OF BOX

KEYWAYS AND SLOTS
ATTACH ADAPTER HERE

STANDARD ADAPTER 32MAXB
SKU: RPWM-32MAXB-HSB-L
SEE SHEET 4 FOR
DIMENSIONS
WEIGHT: 33 LBS

NOTE TO CONTRACTOR:
USE SUPPLIED HARDWARE WITH CAUTION:
- SCREWS CAN EXCEED DISPLAY INSERT LENGTH
- VERIFY INSERT LENGTH WITH DISPLAY
MANUFACTURER PRIOR TO USE

DISPLAY MOUNTING HARDWARE PROVIDED BY RPV:
QTY: 4 / UNIT - M6 X 16mm FLANGED SBHCS ALLOY
QTY: 4 / UNIT - M8 X 16mm, M8 X 20mm FLANGED SBHCS ALLOY
QTY: 4 / UNIT - M8 X 40mm SBHCS ALLOY
QTY: 4 / UNIT - 5/16" ID X 3/4" OD FLAT WASHER



1275 S Lewis St, Anaheim, CA 92805
P: 714-991-6400 | C: 714-390-8572
www.rpvisuals.com

This drawing contains proprietary information owned or controlled by RP/Visual Solutions and must not be used or disclosed without prior written authorization

DIMENSIONS ARE IN INCHES		
TOLERANCES ARE:		
FRACTIONS	DECIMALS	ANGLES
X/X : ± 1/32	XX : ± .03 XXX : ± .010	X : ± .5 XX : ± .20

APPROVED FOR FABRICATION

SIGNATURE:

DATE:

NOTES:

1. FINISH: MATTE BLACK PC

G	.	.	.
F	.	.	.
E	.	.	.
C	.	.	.
B	.	.	.
A	.	.	.

REV: DESCRIPTION: BY: DATE:

DEALER:

PROJECT:

SKU: RPWM-32MAXB-HSB-L

PART NO:

DESCRIPTION: STD ADAPTER 32MAXB LANDSCAPE SUB-ASSY

SIZE: B	DATE: 3/18/2021	DRAWN: HN	CHECKED: XXX
---------	-----------------	-----------	--------------

DWG. ID: RPWM-32MAXB-XM-HSB.4

JOB NO:	SCALE: 1:6 SHEET: 4 OF 4	REVISION: A
---------	-----------------------------	-------------