

1275 S Lewis St, Anaheim, CA 92805
P: 714-991-6400 | C: 714-390-8572
www.rpvisuals.com

This drawing contains proprietary information owned or controlled by RP/Visual Solutions and must not be used or disclosed without prior written authorization

DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
FRACTIONS XX/X : ± 1/32
DECIMALS .XX : ± .03
XXX : ± .010
ANGLES X : ± .5
XX : ± .20

APPROVED FOR FABRICATION

SIGNATURE:

DATE:

NOTES:

1. FINISH: SEMI-GLOSS BLACK POWDER COAT
2. TOTAL WEIGHT (APPROXIMATE): 52.3 lbs

G			
F			
E			
C			
B			
A	DIMENSIONS UPDATED	HN	12/4/2024
REV:	DESCRIPTION:	BY:	DATE:
DEALER:			
PROJECT:			
SKU: RPWM-16BF-XMS-UNV			
PART NO: 0001-140-00			
DESCRIPTION: Universal Mount - Pull out Wallmate 16BF kit			
SIZE: B	DATE: 9/7/2023	DRAWN: HN	CHECKED: XX
DWG. ID: RPWM-16BF-XMS-UNV.1		REVISION: A	
JOB NO:		SCALE: 1:8 SHEET: 1 OF 4	



1275 S Lewis St, Anaheim, CA 92805
P: 714-991-6400 | C: 714-390-8572
www.rpvisuals.com

This drawing contains proprietary information owned or controlled by RP/Visual Solutions and must not be used or disclosed without prior written authorization

DIMENSIONS ARE IN INCHES		
TOLERANCES ARE:		
FRACTIONS	DECIMALS	ANGLES
X/X : ± 1/32	XX : ± .03 .XXX : ± .010	X : ± .5 .XX : ± .20

APPROVED FOR FABRICATION

SIGNATURE:

DATE:

NOTES:

G	.	.	.
F	.	.	.
E	.	.	.
C	.	.	.
B	.	.	.
A	SECTION VIEW TO SHOW KEYHOLE	HN	12/4/2024

REV: DESCRIPTION: BY: DATE:

DEALER:

PROJECT:

SKU: RPWM-16BF-XMS-UNV

PART NO: 0001-140-00

DESCRIPTION: Universal Mount - Pull out Wallmate 16BF kit

SIZE: B	DATE: 9/7/2023	DRAWN: HN	CHECKED: XX
---------	----------------	-----------	-------------

DWG. ID: RPWM-16BF-XMS-UNV.2

JOB NO:	SCALE: 1:5	REVISION: A
	SHEET: 2 OF 4	



1275 S Lewis St, Anaheim, CA 92805
P: 714-991-6400 | C: 714-390-8572
www.rpvisuals.com

This drawing contains proprietary information owned or controlled by RP/Visual Solutions and must not be used or disclosed without prior written authorization

DIMENSIONS ARE IN INCHES		
TOLERANCES ARE:		
FRACTIONS	DECIMALS	ANGLES
X/X : ± 1/32	XX : ± .03 .XXX : ± .010	X : ± .5 .XX : ± .20

APPROVED FOR FABRICATION

SIGNATURE:

DATE:

NOTES:

1. FINISH: SEMI-GLOSS BLACK POWDER COAT
2. TOTAL WEIGHT (APPROXIMATE): 52.3 lbs

G	.	.	.
F	.	.	.
E	.	.	.
C	.	.	.
B	.	.	.
A	.	.	.

REV: DESCRIPTION: BY: DATE:

DEALER:

PROJECT:

SKU: RPWM-16BF-XMS-UNV

PART NO: 0001-140-00

DESCRIPTION: Universal Mount - Pull out Wallmate 16BF kit

SIZE: B	DATE: 9/7/2023	DRAWN: HN	CHECKED: XX
---------	----------------	-----------	-------------

DWG. ID: RPWM-16BF-XMS-UNV.3

JOB NO:	SCALE: 1:8	REVISION:
	SHEET: 3 OF 4	

WALLMATE 16 STANDARD
DEPTH FLUSH CLOSE BACK BOX
SKU: RPWM-16BF-BOX-KIT
WEIGHT: 18.3 LBS

WALLMATE 16BF AND BS SERIES
PERIPHERAL DEVICE MOUNTING PLATE
SKU: RPWM-16BF/S-PM

KEYWAYS AND SLOTS
ATTACH ADAPTER HERE

UNIVERSAL MOUNT ASSEMBLY
SEE SHEET 4 FOR DIMENSIONS
WEIGHT: 16.0 LBS

5/16-18 X 3/4"
BUTTON SOCKET HEAD
X4

5/16-18
FLANGED
LOCKNUT
X4

1/4-20 X 3/4"
FLANGED BUTTON
HEAD SCREW
X4

WALLMATE 16B SLIM X-ARM
SKU: RPWM-16B-XMS
WEIGHT: 18.0 LBS

BACK BOX 16BF
WELDMENT

IMPORTANT
• LEVEL AND PLUMB WALLMATE BOX

IMPORTANT
• USE ALL FOUR MOUNTING POINTS
PER SIDE
• TYPES OF FASTENERS SPECIFIED AND
PROVIDED BY OTHERS

STANDARD TRIM
BEZEL 16B

USE #8 X 3/8"
SHEET METAL SCREWS
X12

FRONT ISO VIEW
(EXPLODED)

INSTALLATION NOTES:

1. FOR MOUNTING IN METAL STUDS: WALLMATE 16BF CAN MOUNT IN TYPICAL METAL STUDS AND HOLDS 125 LBS CAPACITY
2. VERIFY FASTENING METHOD WITH STRUCTURAL ENGINEER PRIOR TO INSTALLATION
3. VERIFY WALL STRENGTH PRIOR TO INSTALLATION
4. USE ALL FASTENING POINTS ON BOTH SIDES OF BOX

NOTE TO CONTRACTOR:
USE SUPPLIED HARDWARE WITH CAUTION:
- SCREWS CAN EXCEED DISPLAY INSERT LENGTH
- VERIFY INSERT LENGTH WITH DISPLAY
MANUFACTURER PRIOR TO USE

DISPLAY MOUNTING HARDWARE PROVIDED BY RPV:
QTY: 4 / UNIT - M6 X 16mm FLANGED SBHCS ALLOY
QTY: 4 / UNIT - M8 X 16mm FLANGED SBHCS ALLOY
QTY: 4 / UNIT - M8 X 20mm FLANGED SBHCS ALLOY
QTY: 4 / UNIT - M8 X 45mm SBHCS ALLOY
QTY: 4 / UNIT - 5/16" ID X 3/4" OD FLAT WASHER



1275 S Lewis St, Anaheim, CA 92805
P: 714-991-6400 | C: 714-390-8572
www.rpvisuals.com

This drawing contains proprietary information owned or controlled by RPVisual Solutions and must not be used or disclosed without prior written authorization

DIMENSIONS ARE IN INCHES		
TOLERANCES ARE:		
FRACTIONS	DECIMALS	ANGLES
X/X : ± 1/32	XX : ± .03 .XXX : ± .010	X : ± .5 .XX : ± .20



APPROVED FOR FABRICATION

SIGNATURE:

DATE:

NOTES:

1. FINISH: SEMI-GLOSS BLACK POWDER COAT
2. TOTAL WEIGHT (APPROXIMATE): 16.0 lbs



DISPLAY
THIS SIDE



SIDE VIEW

G	.	.	.
F	.	.	.
E	.	.	.
C	.	.	.
B	.	.	.
A	.	.	.
REV:	DESCRIPTION:	BY:	DATE:
DEALER:	.	.	.
PROJECT:	.	.	.
SKU:	RPWM-UNV-64	.	.
PART NO:	0006-000-00F	.	.
DESCRIPTION:	Universal Mount Assembly	.	.
SIZE:	B	DATE:	9/7/2023
DWG. ID:	RPWM-16BF-XMS-UNV.4	DRAWN:	HN
JOB NO:	.	CHECKED:	XX
SCALE:	1:6	REVISION:	.
SHEET:	4 OF 4	.	.