




1275 S Lewis St, Anaheim, CA 92805
P: 714-991-6400 | C: 714-390-8572
www.rpvisuals.com

This drawing contains proprietary information owned or controlled by RPVisual Solutions and must not be used or disclosed without prior written authorization

DIMENSIONS ARE IN INCHES		
TOLERANCES ARE:		
FRACTIONS	DECIMALS	ANGLES
X/X : ± 1/32	XX : ± .03 .XXX : ± .010	X : ± .5 .XX : ± .20

SALES DRAWINGS

SIGNATURE:

DATE:

NOTES:

1. FINISH: SEMI-GLOSS BLACK POWDER COAT
2. APPROXIMATE WEIGHT: 57

G	.	.	.
F	.	.	.
E	.	.	.
C	.	.	.
B	.	.	.
A	.	.	.

REV:	DESCRIPTION:	BY:	DATE:
DEALER:	.	.	.

PROJECT:

SKU:

RPWM-W32B-XMS-OFFSET

PART NO:

0002-330-00

DESCRIPTION:

X-ARM KIT W32B XMS

SIZE:	DATE:	DRAWN:	CHECKED:
B	4/15/2024	SV	XX

DWG. ID:

0002-330-00.1

JOB NO:

SCALE:

1:8

REVISION:

SHEET:

1 OF 4

This drawing contains proprietary information owned or controlled by RP/Visual Solutions and must not be used or disclosed without prior written authorization

DIMENSIONS ARE IN INCHES
TOLERANCES ARE:

FRACTIONS	DECIMALS	ANGLES
X/X : ± 1/32	XX : ± .03 XXX : ± .010	X : ± .5 XX : ± .20

SALES DRAWINGS

SIGNATURE:

DATE:

NOTES:

1. FINISH: SEMI-GLOSS BLACK POWDER COAT
2. APPROXIMATE WEIGHT: 57

G	.	.	.
F	.	.	.
E	.	.	.
C	.	.	.
B	.	.	.
A	.	.	.

REV: DESCRIPTION: BY: DATE:

DEALER:

PROJECT:

SKU: RPWM-W32B-XMS-OFFSET


PART NO: 0002-330-00

DESCRIPTION: X-ARM KIT W32B XMS


SIZE: B DATE: 4/15/2024 DRAWN: SV CHECKED: XX

DWG. ID: 0002-330-00.2


JOB NO: SCALE: 1:6 SHEET: 2 OF 4 REVISION:




DETAIL G
SCALE 1 : 2




DETAIL F
SCALE 1 : 2



DETAIL E
SCALE 1 : 2



SIDE VIEW
OPEN POSITION



DETAIL C
SCALE 1 : 2

USE THIS LOCATION
TO LOCK X-ARM
IN OPEN POSITION

- ESTIMATED TOTAL SYSTEM WEIGHT (NOT INCLUDING DISPLAY) = 57 LBS
- ATTACH TO WALL REQUIRED BY OTHERS. TYPE & FREQUENCY OF ATTACHMENT TO BE DETERMINED BY STRUCTURAL ENGINEERS / LOCAL CONTRACTORS



1275 S Lewis St, Anaheim, CA 92805
P: 714-991-6400 | C: 714-390-8572
www.rpvisuals.com

This drawing contains proprietary information owned or controlled by RPVisual Solutions and must not be used or disclosed without prior written authorization

DIMENSIONS ARE IN INCHES		
TOLERANCES ARE:		
FRACTIONS	DECIMALS	ANGLES
X/X : ± 1/32	XX : ± .03 XXX : ± .010	X : ± .5 .XX : ± .20

SALES DRAWINGS

SIGNATURE:

DATE:

NOTES:

1. FINISH: SEMI-GLOSS BLACK POWDER COAT
2. APPROXIMATE WEIGHT: 57

G	.	.	.
F	.	.	.
E	.	.	.
C	.	.	.
B	.	.	.
A	.	.	.

REV: DESCRIPTION: BY: DATE:

DEALER:

PROJECT:

SKU: RPWM-W32B-XM-UNV

PART NO: 0002-291-00

DESCRIPTION: UNV X-ARM KIT W32B

SIZE: B	DATE: 4/15/2024	DRAWN: SV	CHECKED: XX
---------	-----------------	-----------	-------------

DWG. ID: 0002-330-00.3

JOB NO:	SCALE: 1:16	REVISION:
	SHEET: 3 OF 4	

X-ARM KIT MAX32B
SKU: RPWM-32B-XMS
WEIGHT 23 LBS

TOUCH KIT
SKU: RPWM-TOUCH
WEIGHT: 2 LBS

KEYWAYS AND SLOTS
ATTACH ADAPTOR HERE

STANDARD ADAPTER
SKU: RPWM-32BF-ADA
WEIGHT 18 LBS

PERIPHERAL PLATE
SKU: RPWM-32B-PM
WEIGHT: 5 LBS

WALL MOUNT
WELDMENT
WEIGHT: 14 LBS

IMPORTANT
• LEVEL AND PLUMB WALL MOUNT WELDMENT

IMPORTANT
• HARDWARE TO ATTACH TO WALL BY OTHERS
• TYPE AND QUANTITY BY STRUCTURAL ENGINEER

1/4-20
THUMB SCREW
X2

1/4-20 X 3/4"
FLANGED BUTTON
HEAD SCREW
X4

5/16-18
FLANGED
LOCKNUT
X4

FRONT ISO VIEW
(EXPLODED)

- INSTULATION NOTES:
1. WALLMATE 32MAX XMS OFFSET REQUIRES FLAT WALL TO HOLD 250 LBS CAPACITY
 2. VERIFY FASTENING METHOD WITH STRUCTURAL ENGINEER PRIOR TO INSTALLATION
 3. VERIFY WALL STRENGTH PRIOR TO INSTALLATION

NOTE TO CONTRACTOR:
USE SUPPLIED HARDWARE WITH CAUTION:
-SCREWS CAN EXCEED DISPLAY INSERT LENGTH
-VERIFY INSERT LENGTH WITH DISPLAY
MANUFACTURER PRIOR TO USE

DISPLAY MOUNTING HARDWARE PROVIDED BY RPV:
QTY: 4 / UNIT - M6 X 16mm FLANGED SBHCS ALLOY
QTY: 4 / UNIT - M8 X 16mm FLANGED SBHCS ALLOY
QTY: 4 / UNIT - M8 X 20mm FLANGED SBHCS ALLOY
QTY: 4 / UNIT - M8 X 45mm SBHCS ALLOY
QTY: 4 / UNIT - 5/16" ID X 3/4" OD FLAT WASHER



1275 S Lewis St, Anaheim, CA 92805
P: 714-991-6400 | C: 714-390-8572
www.rpvisuals.com

This drawing contains proprietary information owned or controlled by RPVisual Solutions and must not be used or disclosed without prior written authorization


DIMENSIONS ARE IN INCHES		
TOLERANCES ARE:		
FRACTIONS	DECIMALS	ANGLES
X/X : ± 1/32	XX : ± .03 XXX : ± .010	X : ± .5 XX : ± .20

SALES DRAWINGS

SIGNATURE:

DATE:

- NOTES:
1. FINISH: SEMI-GLOSS BLACK POWDER COAT
 2. APPROXIMATE WEIGHT: 17



G	.	.	.
F	.	.	.
E	.	.	.
C	.	.	.
B	.	.	.
A	.	.	.
REV:	DESCRIPTION:	BY:	DATE:
DEALER:	.	.	.
PROJECT:	.	.	.
SKU:	RPWM-32BF-ADA	.	.
PART NO:	0002-280-01A	.	.
DESCRIPTION:	STD ADAPTER TNV 32BF ADA ADAPTER 32BF	.	.
SIZE:	B	DATE:	4/15/2024
DRAWN:	SV	CHECKED:	XX
DWG. ID:	0002-330-00.4	.	.
JOB NO:	.	SCALE:	1:6
.	.	SHEET:	4 OF 4