










SIDE VIEW



FRONT ISO VIEW



SECTION B-B

INSTALLATION
INSTRUCTIONS
SEE SHEET 3

This drawing contains proprietary information owned or controlled by RP/Visual Solutions and must not be used or disclosed without prior written authorization.

DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
FRACTIONS DECIMALS ANGLES
X/X : ± 1/32 .XX : ± .03 .X : ± .5
XXX : ± .010 .XX : ± .20

SALES DRAWINGS

SIGNATURE:

DATE:

NOTES:
1. FINISH: SEMI-GLOSS BLACK POWDER COAT
2. APPROXIMATE WEIGHT: 71

G			
F			
E			
C			
B			
A			
REV:	DESCRIPTION:	BY:	DATE:
DEALER:			

PROJECT:

SKU:

PART NO:

DESCRIPTION:

SIZE: B DATE: 08/27/2024 DRAWN: GS CHECKED: XX


DWG. ID:

JOB NO:

SCALE: 1:8

SHEET: 1 OF 4

REVISION:



- ESTIMATED TOTAL SYSTEM WEIGHT (NOT INCLUDING DISPLAY) = 85 LBS
- ATTACH TO WALL REQUIRED BY OTHERS. TYPE & FREQUENCY OF ATTACHMENT TO BE DETERMINED BY STRUCTURAL ENGINEERS / LOCAL CONTRACTORS

This drawing contains proprietary information owned or controlled by RPVisual Solutions and must not be used or disclosed without prior written authorization

DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
FRACTIONS DECIMALS ANGLES
X/X : ± 1/32 XX : ± .03 X : ± .5
XXX : ± .010 .XX : ± .20

SALES DRAWINGS
SIGNATURE:

DATE:

NOTES:
1. FINISH: SEMI-GLOSS BLACK POWDER COAT
2. APPROXIMATE WEIGHT: 71

G	.	.	.
F	.	.	.
E	.	.	.
C	.	.	.
B	.	.	.
A	.	.	.

REV: DESCRIPTION: BY: DATE:
DEALER:

PROJECT:

SKU: RPWM-W32MAXB-XMS-UNV

PART NO: 0003-180-00

DESCRIPTION: WALL ATTACH SYSTEM 32MAXB

SIZE: B	DATE: 08/27/2024	DRAWN: GS	CHECKED: XX
---------	------------------	-----------	-------------

DWG. ID: RPWM-W32MAXB-XMS-UNV.2

JOB NO:	SCALE: 1:6	REVISION:
	SHEET: 2 OF 4	

This drawing contains proprietary information owned or controlled by RP/Visual Solutions and must not be used or disclosed without prior written authorization

DIMENSIONS ARE IN INCHES		
TOLERANCES ARE:		
FRACTIONS	DECIMALS	ANGLES
X/X : ± 1/32	XX : ± .03 .XXX : ± .010	X : ± .5 .XX : ± .20

SALES DRAWINGS

SIGNATURE:

DATE:

NOTES:

1. FINISH: SEMI-GLOSS BLACK POWDER COAT
2. APPROXIMATE WEIGHT: 71

G	.	.	.
F	.	.	.
E	.	.	.
C	.	.	.
B	.	.	.
A	.	.	.

REV: DESCRIPTION: BY: DATE:
DEALER:


PROJECT:

SKU: RPWM-W32MAXB-XMS-UNV

PART NO: 0003-180-00

DESCRIPTION: WALL ATTACH SYSTEM 32MAXB

SIZE: B	DATE: 08/27/2024	DRAWN: GS	CHECKED: XX
DWG. ID: RPWM-W32MAXB-XMS-UNV.3			
JOB NO:	SCALE: 1:10 SHEET: 3 OF 4	REVISION:	



INSTALLATION NOTES

1. WALLMATE MAX32B -XMS OFFSET REQUIRES FLAT WALL TO HOLD 250 LBS CAPACITY
2. VERIFY FASTENING METHOD WITH STRUCTURAL ENGINEER PRIOR TO INSTALLATION
3. VERIFY WALL STRENGTH PRIOR TO INSTALLATION

NOTE TO CONTRACTOR:
USE SUPPLIED HARDWARE WITH CAUTION:
- SCREWS CAN EXCEED DISPLAY INSERT LENGTH
- VERIFY INSERT LENGTH WITH DISPLAY
MANUFACTURER PRIOR TO USE

DISPLAY MOUNTING HARDWARE PROVIDED BY RPV:
QTY: 4 / UNIT - M6 X 16mm FLANGED SBHCS ALLOY
QTY: 4 / UNIT - M8 X 16mm, M8 X 20mm FLANGED SBHCS ALLOY
QTY: 4 / UNIT - M8 X 40mm SBHCS ALLOY
QTY: 4 / UNIT - 5/16" ID X 3/4" OD FLAT WASHER



1275 S Lewis St, Anaheim, CA 92805
P: 714-991-6400 | C: 714-390-8572
www.rpvvisuals.com

This drawing contains proprietary information owned or controlled by RPVisual Solutions and must not be used or disclosed without prior written authorization

DIMENSIONS ARE IN INCHES		
TOLERANCES ARE:		
FRACTIONS	DECIMALS	ANGLES
X/X : ± 1/32	XX : ± .03 .XXX : ± .010	X : ± .5 .XX : ± .20

APPROVED FOR FABRICATION

SIGNATURE:

DATE:

NOTES:

1. FINISH: SEMI-GLOSS BLACK POWDER COAT
2. TOTAL WEIGHT (APPROXIMATE): 16 LBS

G	.	.	.
F	.	.	.
E	.	.	.
C	.	.	.
B	.	.	.
A	.	.	.

REV: DESCRIPTION: BY: DATE:

DEALER:

PROJECT:

SKU: RPWM-UNV-64

PART NO: 0006-000-00F

DESCRIPTION: UNIVERESAL MOUNT ASSEMBLY

SIZE: B	DATE: 08/27/2024	DRAWN: GS	CHECKED: XX
---------	------------------	-----------	-------------

DWG. ID: RPWM-W32MAXB-XMS-UNV

JOB NO:	SCALE: 1:6	REVISION: F
.	SHEET: 4 OF 4	