


# WALLMATE ON WALL X-ARM

## On Wall Flat Panel Mounting System

### FOR DISPLAYS UP TO 300 LBS

The Wallmate W32MAXB with OFFSET mount is an on wall system designed for flat panel displays, while maintaining the ultimate in display mount flexibility, and single person service.

- Manufactured with 11 to 14-gauge steel to create a rigid mount that will remain stable and level.
- Installation only requires simple tools such as a drill, screwdriver, and allen key.
- Mounts directly to wall surface.



## Wallmate W32MAXB-XMS-OFFSET Product Specification

Min. Landscape or Portrait Panel Size	65"
Max Recommended Display Size Dia. 16:9	98"
Max display size dia. 21:9	90"
X-arm Opening Distance (wall to back of display)	18.67"
X-arm Closed Distance (wall to back of display)	3.98"
Horizontal Shift	0"
Vertical Shift	0"
Rotation of Display	+/-2°
X-arm Plumb Alignment	-0.62° to 0°
Display Weight Capacity	300 lbs.
Internal Mount Space X-arm (WxHxD inches)	23.75" x 19.44" x 3.56"
Peripheral Plate Dims (WxHxD inches)	17.5" x 26.75" x 0.5"

Wall Plate Dims (WxHxD inches)	30" x 30" x 0.87"
Plate Attach Pattern to X-arm (WxH inches)	26.5" x 11"
Default VESA Pattern Width	Per Design
Default VESA Pattern Height	Per Design
Max Horizontal or Vertical	1750 x 1200
System Weight	71 lbs. (as shown with default bracket)

## Wallmate W32MAXB-XMS-OFFSET Model Numbers


Wallmate RPWM-W32MAXB-XMS-OFFSET Kit with OFFSET Mounting Plate (as shown in images)

Part Number	Description	Typical Purchaser
RPWM-W32MAXB-XMS-UNV	Surface mounted 32MAXB series system for 300 lbs. displays. Includes wall attach bracket, peripheral mount plate, Slim x-arm, touch kit, and offset display mounting plate, up to 900mm wide VESA pattern.	Integrator


Additional Wallmate W32MAXB Accessories and Kits

Part Number	Description
RPWM-UNV-64	Universal mount assembly
RPWM-32B-FLIP	FLIP up addition for Wallmate 32/32MAX series - Holds an offset plate or unv mount
RPWM-32MAXB-PM	Peripheral device mounting plate for Wallmate 32MAXBF and BS Series
RPWM-32MAXBF-PM2	Dual layer peripheral device mounting plate for Wallmate 32MAXBF
RPWM-32MAXBF-PMFLX-1	Peripheral device mounting plate, Wallmate 32MAXBF for Crestron Flex systems
RPWM-32MAXBF-PMFLX2-1	Dual layer peripheral device mounting plate, Wallmate 32MAXBF for Crestron Flex systems
RPWM-LOCK-S	Wallmate Slim x-arm lock Kit
RPWM-TOUCH-S	Wallmate Slim x-arm touch kit
RPWM-TILT	Wallmate B tilt brackets
RPWM-SPCR-(S, M, L or OFFSET)	Pair of spacers for Wallmate x-arms (small, medium, large, or custom)
RPWM-UNV64-C#	VESA converter
RPWM-UC-SPK-(A, B, or L/R)	Wallmate (above, below, or left/right) display loudspeaker mount kit for Universal mount
RPWM-UC-UNVS-KCAM	Universal mount camera kit. Call for matching number.
Kits	Description
RPWM-W32MAXB-XMS-UNV	Wallmate 32B Surface mount system with Universal mount


## FRONT VIEW




## SIDE VIEW (X-ARMS OPEN)




## TOP VIEW



## SIDE VIEW (X-ARMS CLOSED)



## FRONT ISO VIEW



## SIDE VIEW

## SECTION B-B

CONTACT US

[rpvisuals.com/wallmate](http://rpvisuals.com/wallmate)

[info@rpvisuals.com](mailto:info@rpvisuals.com)

(714) 991-6400

