



SIDE VIEW



FRONT ISO VIEW

OPEN LOCK
SEE SHEET 2
FOR DETAIL



SECTION B-B
SCALE 1:10

This drawing contains proprietary information owned or controlled by RPVisual Solutions and must not be used or disclosed without prior written authorization

DIMENSIONS ARE IN INCHES
 TOLERANCES ARE:
 FRACTIONS: X/X : ± 1/32
 DECIMALS: .XX : ± .03
 .XXX : ± .010
 ANGLES: X : ± .5
 .XX : ± .20

APPROVED FOR FABRICATION
 SIGNATURE:

DATE:

NOTES:
 1. FINISH: SEMI-GLOSS BLACK POWDER COAT
 2. APPROXIMATE WEIGHT: 151 LBS

G			
F			
E			
C			
B			
A			
REV:	DESCRIPTION:	BY:	DATE:
DEALER:			

PROJECT:

SKU: RPWM-32MAXB6-XMR-UNV-158

PART NO: 00072-00301-00

DESCRIPTION: UNV-158 ON 32MAXB6

SIZE: B DATE: 01/12/2026 DRAWN: SA CHECKED: XX

DWG. ID: RPWM-32MAXB6-XMR-UNV-158.1

JOB NO: SCALE: 1:1 SHEET: 1 OF 5 REVISION: 0

This drawing contains proprietary information owned or controlled by RPVisual Solutions and must not be used or disclosed without prior written authorization

DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
FRACTIONS DECIMALS ANGLES
X/X : ± 1/32 .XX : ± .03 .X : ± .5
.XXX : ± .010 .XX : ± .20

APPROVED FOR FABRICATION

SIGNATURE:

DATE:

NOTES:

1. FINISH: SEMI-GLOSS BLACK POWDER COAT
2. APPROXIMATE WEIGHT: 151 LBS

G			
F			
E			
C			
B			
A			

REV: DESCRIPTION: BY: DATE:
DEALER:

PROJECT:

SKU: RPWM-32MAXB6-XMR-UNV-158





PART NO: 00072-00301-00

DESCRIPTION: UNV-158 ON
32MAXB6

SIZE: B	DATE: 01/12/2026	DRAWN: SA	CHECKED: XX
---------	------------------	-----------	-------------

DWG. ID: RPWM-32MAXB6-XMR-UNV-158.2

JOB NO:	SCALE: 1:1	REVISION:
	SHEET: 2 OF 5	0



1 2 3 4 5 6 7 8

A B C D E

This drawing contains proprietary information owned or controlled by RPVisual Solutions and must not be used or disclosed without prior written authorization

DIMENSIONS ARE IN INCHES

TOLERANCES ARE:

FRACTIONS	DECIMALS	ANGLES
X/X : ± 1/32	.XX : ± .03 .XXX : ± .010	X : ± .5 .XX : ± .20


APPROVED FOR FABRICATION

SIGNATURE:

DATE:

NOTES:

1. FINISH: SEMI-GLOSS BLACK POWDER COAT
2. APPROXIMATE WEIGHT: 151 LBS



INSTALLATION NOTES:

1. WALLMATE RPWM-32MAXB6-XMR CAN HOLD 820 LBS OF WEIGHT FOR DISPLAY AND ADAPTER
2. CANNOT MOUNT INTO TYPICAL WALL BUILDS
3. VERIFY WALL STRENGTH WITH STRUCTURAL ENGINEER. (COG DRAWINGS AVAILABLE UPON REQUEST.)
4. CAN MOUNT TO OPTIONAL STEEL POSTS BY RPV (CALL FOR DETAILS)
5. USE ALL FASTENING POINTS ON BOTH SIDES OF BOX

G			
F			
E			
C			
B			
A			

REV:	DESCRIPTION:	BY:	DATE:
------	--------------	-----	-------

DEALER:

PROJECT:

SKU: RPWM-32MAXB6-XMR-UNV-158

PART NO: 00072-00301-00

DESCRIPTION: UNV-158 ON 32MAXB6

SIZE: B	DATE: 01/12/2026	DRAWN: SA	CHECKED: XX
---------	------------------	-----------	-------------

DWG. ID: RPWM-32MAXB6-XMR-UNV-158.3

JOB NO:	SCALE: 1:1	REVISION: 0
	SHEET: 3 OF 5	

NOTE TO CONTRACTOR:
 USE SUPPLIED HARDWARE WITH CAUTION:
 - SCREWS CAN EXCEED DISPLAY INSERT LENGTH
 - VERIFY INSERT LENGTH WITH DISPLAY
 MANUFACTURER PRIOR TO USE

DISPLAY MOUNTING HARDWARE PROVIDED BY RPV:
 QTY: 4 / UNIT - M6 X 16mm FLANGED SBHCS ALLOY
 QTY: 4 / UNIT - M8 X 16mm, M8 X 20mm FLANGED SBHCS ALLOY
 QTY: 4 / UNIT - M8 X 40mm SBHCS ALLOY
 QTY: 4 / UNIT - 5/16" ID X 3/4" OD FLAT WASHER

This drawing contains proprietary information owned or controlled by RPVisual Solutions and must not be used or disclosed without prior written authorization

DIMENSIONS ARE IN INCHES
 TOLERANCES ARE:

FRACTIONS	DECIMALS	ANGLES
X/X : ± 1/32	.XX : ± .03 .XXX : ± .010	.X : ± .5 .XX : ± .20


APPROVED FOR FABRICATION

SIGNATURE:

DATE:


NOTES:

1. FINISH: SEMI-GLOSS BLACK POWDER COAT
2. APPROXIMATE WEIGHT: 67 LBS




TOP VIEW

←
 DISPLAY
 THIS SIDE



FRONT VIEW



SIDE VIEW

NOTE:
 NOTCH POSITION 1 SHOWN, SEE SHEET 5 FOR NOTCH POSITION 2

G			
F			
E			
C			
B			
A	HRZ from plug weld to spot weld	SA	12/06/2024

REV: DESCRIPTION: BY: DATE:

DEALER:

PROJECT:

SKU: RPWM-UNV-158

PART NO: 00080-005_01-00-B

DESCRIPTION: Wallmate B6-XMR UNIVERSAL MOUNT

SIZE:	DATE:	DRAWN:	CHECKED:
B	01/12/2026	SA	XX

DWG. ID: RPWM-32MAXB6-XMR-UNV-158.4

JOB NO: SCALE: 1:1 REVISION: B

SHEET: 4 OF 5

NOTE TO CONTRACTOR:
 USE SUPPLIED HARDWARE WITH CAUTION:
 - SCREWS CAN EXCEED DISPLAY INSERT LENGTH
 - VERIFY INSERT LENGTH WITH DISPLAY
 MANUFACTURER PRIOR TO USE

DISPLAY MOUNTING HARDWARE PROVIDED BY RPV:
 QTY: 4 / UNIT - M6 X 16mm FLANGED SBHCS ALLOY
 QTY: 4 / UNIT - M8 X 16mm, M8 X 20mm FLANGED SBHCS ALLOY
 QTY: 4 / UNIT - M8 X 40mm SBHCS ALLOY
 QTY: 4 / UNIT - 5/16" ID X 3/4" OD FLAT WASHER


This drawing contains proprietary information owned or controlled by RPVisual Solutions and must not be used or disclosed without prior written authorization

DIMENSIONS ARE IN INCHES
 TOLERANCES ARE:
 FRACTIONS DECIMALS ANGLES
 X/X : ± 1/32 .XX : ± .03 .X : ± .5
 .XXX : ± .010 .XX : ± .20


APPROVED FOR FABRICATION
 SIGNATURE:

DATE:


NOTES:
 1. FINISH: SEMI-GLOSS BLACK POWDER COAT
 2. APPROXIMATE WEIGHT: 67 LBS



TOP VIEW



FRONT VIEW



SIDE VIEW

NOTE:
 NOTCH POSITION 2 SHOWN, SEE SHEET 4 FOR NOTCH POSITION 1

G			
F			
E			
C			
B			
A	HRZ from plug weld to spot weld	SA	12/06/2026

REV: DESCRIPTION: BY: DATE:
 DEALER:

PROJECT:

SKU: RPWM-UNV-158

PART NO: 00080-005_01-00-B

DESCRIPTION: Wallmate B6-XMR UNIVERSAL MOUNT

SIZE: B DATE: 01/12/2026 DRAWN: SA CHECKED: XX

DWG. ID: RPWM-32MAXB6-XMR-UNV-158.5

JOB NO: SCALE: 1:1 SHEET: 5 OF 5 REVISION: B