

This drawing contains proprietary information owned or controlled by RPVisual Solutions and must not be used or disclosed without prior written authorization

DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
FRACTIONS: X/X : ± 1/32
DECIMALS: .XX : ± .03
 .XXX : ± .010
ANGLES: X : ± .5
 .XX : ± .20





APPROVED FOR FABRICATION

SIGNATURE: _____

DATE: _____

NOTES:

1. FINISH: SEMI-GLOSS BLACK POWDER COAT
2. APPROXIMATE WEIGHT: 153 LBS



- NOTES:**
1. MAX DISPLAY WEIGHT LOAD 425 LBS (193 KG)
 2. VESA WIDTH: MIN: 200W, MAX 1700W
 3. VESA HEIGHT: MIN: 200H, MAX 800H

| | | | |
|--|------------------|------------|-------------|
| G | | | |
| F | | | |
| E | | | |
| C | | | |
| B | | | |
| A | | | |
| REV: | DESCRIPTION: | BY: | DATE: |
| DEALER: | | | |
| PROJECT: | | | |
| SKU: RPWM-32MAXB6-XMR-UNV-158 | | | |
| PART NO: 00072-00301-00 | | | |
| DESCRIPTION: UNV-158 ON 32MAXB6 | | | |
| SIZE: B | DATE: 05/06/2026 | DRAWN: CAN | CHECKED: XX |
| DWG. ID: RPWM-32MAXB6-XMR-UNV158 SALES.1 | | | |
| JOB NO: | SCALE: 1:12 | REVISION: | |
| | SHEET: 1 OF 5 | | |

This drawing contains proprietary information owned or controlled by RPVisual Solutions and must not be used or disclosed without prior written authorization

DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
FRACTIONS DECIMALS ANGLES
X/X : ± 1/32 .XX : ± .03 .X : ± .5
.XXX : ± .010 .XX : ± .20

APPROVED FOR FABRICATION

SIGNATURE:

DATE:

NOTES:

1. FINISH: SEMI-GLOSS BLACK POWDER COAT
2. APPROXIMATE WEIGHT: 153 LBS

| | | | |
|---|--|--|--|
| G | | | |
| F | | | |
| E | | | |
| C | | | |
| B | | | |
| A | | | |

REV: DESCRIPTION: BY: DATE:
DEALER:

PROJECT:

SKU: RPWM-32MAXB6-XMR-UNV-158





PART NO: 00072-00301-00

DESCRIPTION: UNV-158 ON 32MAXB6


| | | | |
|---------|------------------|------------|-------------|
| SIZE: B | DATE: 05/06/2026 | DRAWN: CAN | CHECKED: XX |
|---------|------------------|------------|-------------|

DWG. ID: RPWM-32MAXB6-XMR-UNV158 SALES.2

| | | |
|---------|---------------|-----------|
| JOB NO: | SCALE: 1:8 | REVISION: |
| | SHEET: 2 OF 5 | |



USE THIS LOCATION TO LOCK X-ARM IN OPEN POSITION



This drawing contains proprietary information owned or controlled by RPVisual Solutions and must not be used or disclosed without prior written authorization

DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
FRACTIONS: X/X : ± 1/32
DECIMALS: .XX : ± .03
 .XXX : ± .010
ANGLES: X : ± .5
 .XX : ± .20

APPROVED FOR FABRICATION

SIGNATURE: _____

DATE: _____

NOTES:

1. FINISH: SEMI-GLOSS BLACK POWDER COAT
2. APPROXIMATE WEIGHT: 153 LBS

| | | | |
|---|--|--|--|
| G | | | |
| F | | | |
| E | | | |
| C | | | |
| B | | | |
| A | | | |

REV: DESCRIPTION: BY: DATE:

DEALER: _____

PROJECT: _____

SKU: RPWM-32MAXB6-XMR-UNV-158


PART NO: 00072-00301-00

DESCRIPTION: UNV-158 ON 32MAXB6

| | | | |
|---------|------------------|------------|-------------|
| SIZE: B | DATE: 05/06/2026 | DRAWN: CAN | CHECKED: XX |
|---------|------------------|------------|-------------|

DWG. ID: RPWM-32MAXB6-XMR-UNV158 SALES.3

| | | |
|---------|---------------|-----------|
| JOB NO: | SCALE: 1:10 | REVISION: |
| | SHEET: 3 OF 5 | |



INSTALLATION NOTES:

1. WALLMATE RPWM-32MAXB6-XMR CAN HOLD 820 LBS OF WEIGHT FOR DISPLAY AND ADAPTER
2. CANNOT MOUNT INTO TYPICAL WALL BUILDS
3. VERIFY WALL STRENGTH WITH STRUCTURAL ENGINEER. (COG DRAWINGS AVAILABLE UPON REQUEST.)
4. CAN MOUNT TO OPTIONAL STEEL POSTS BY RPV (CALL FOR DETAILS)
5. USE ALL FASTENING POINTS ON BOTH SIDES OF BOX

NOTE TO CONTRACTOR:
 USE SUPPLIED HARDWARE WITH CAUTION:
 - SCREWS CAN EXCEED DISPLAY INSERT LENGTH
 - VERIFY INSERT LENGTH WITH DISPLAY
 MANUFACTURER PRIOR TO USE


DISPLAY MOUNTING HARDWARE PROVIDED BY RPV:
 QTY: 4 / UNIT - M6 X 16mm FLANGED SBHCS ALLOY
 QTY: 4 / UNIT - M8 X 16mm, M8 X 20mm FLANGED SBHCS ALLOY
 QTY: 4 / UNIT - M8 X 40mm SBHCS ALLOY
 QTY: 4 / UNIT - 5/16" ID X 3/4" OD FLAT WASHER

This drawing contains proprietary information owned or controlled by RPVisual Solutions and must not be used or disclosed without prior written authorization.
 DIMENSIONS ARE IN INCHES
 TOLERANCES ARE:
 FRACTIONS: XX: ± .03 ANGLES: X: ± .5
 X/X: ± 1/32 .XXX: ± .010 .XX: ± .20

APPROVED FOR FABRICATION
 SIGNATURE:



DATE:

NOTES:
 1. FINISH: SEMI-GLOSS BLACK POWDER COAT
 2. APPROXIMATE WEIGHT: 67 LBS



MAXIMUM VESA PATTERN:
 1700 X 800
 MINIMUM VESA PATTERN:
 200 X 200

←
DISPLAY THIS SIDE



NOTE:
 NOTCH POSITION 2 SHOWN, SEE SHEET 4 FOR NOTCH POSITION 1

FRONT VIEW

SIDE VIEW

| | | | |
|---------|--------------|-----|-------|
| G | | | |
| F | | | |
| E | | | |
| C | | | |
| B | | | |
| A | | | |
| REV: | DESCRIPTION: | BY: | DATE: |
| DEALER: | | | |

PROJECT:
 SKU: RPWM-UNV-158
 PART NO: 00080-005_01-00-B
 DESCRIPTION: Walmart B6-XMR UNIVERSAL MOUNT

| | | | |
|--|------------------|---------------|-------------|
| SIZE: B | DATE: 05/06/2026 | DRAWN: CAN | CHECKED: XX |
| DWG. ID: RPWM-32MAXB6-XMR-UNV158 SALES.5 | | SCALE: 1:9 | REVISION: B |
| JOB NO: | | SHEET: 5 OF 5 | |